No.



9300210

THE UNITED STATES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME;
ASGROW Seed Company

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT NAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A3510'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 29th day of September in the year of our Lord one thousand nine hundred and ninety-five.

Allersha A. Stunden

Commissioner

Plant Variety Protection Office Agricultural Marketing Service

ary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching ensting data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this of fundamental suggestions for reducing pith burden, to Department of Agriculture, Clearance Office, OIRM, Room 404 W, Washington, D.C. 20250, and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055). Washington, 20250.

	APPLICATION FOR PLANT VARIETY (Instructions or	dei cer Infi	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until			
•	1 NAME OF APPLICANT(S) (as it is to appear on the Certificate)	reverse)	······	2 TEMPORARY DESIGNATION O		VARIETY NAME
-	ASGROW SEED COMPANY			EXPERIMENTAL NO XP3510	i -	N3510
	4 ADDRESS (street and no or R.F.D. no., city, state, and ZIP)			5 PHONE (Include area code)		
	9638-190-23			S Friday (Microde area Code)	₽v₽	FOR OFFICIAL USE ONLY O NUMBER
	Gull Road, Building 190			616-384-2351		9700210
	Kalamazoo, MI 49001				<u> </u>	9300210
					15	May 10, 1993
7	6 GENUS AND SPECIES NAME	7 FAMILY NAME (Bolanical)			Time	
	Glycine max	Legumir	iose	ee .	Ğ	9:00 ፟፟፟፟፟፟፟፟፟፟፟፟
	8 CROP KIND NAME (Common Name)		9 (ATE OF DETERMINATION	- [Filing and Examination Fee • 2325.00
	soybean		Se	eptember 1987	S S	Date
	10 IF THE APPLICANT NAMED IS NOT A "PERSON." GIVE FORM OF ORGA	NIZATION (Corporati	on, parti	nership, association, etc.)	P	May 7, 1993
	CCTPOTATION 11 IF INCORPORATED, GIVE STATE OF INCORPORATION				C E	Certificate Fee
				TE OF INCORPORATION	7 ↓	Date
	De laware 13 NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO		Mar	ch 22, 1968	D	Aug. 15, 1995
Alar	Walker, Asgrow Seed Company, 5926 14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Foliation) 2 Exhibit A, Origin and Breeding History of the Variety 3 Exhibit B, Novelry Statement 4 Exhibit C, Objective Description of Variety 4 Exhibit D, Additional Description of Variety 5 Exhibit E, Statement of the Basis of Applicant's Ownersh 1 Exhibit E, Statement of the Basis of Applicant's Ownersh 2 Exhibit E, Statement of the Basis of Applicant's Ownersh 3 Seed Sample (2,500 viable untreated seeds) Date Seed 4 Filing and Examination Fee (\$2,150) made payable to "1 15 DOES THE APPLICANTIST SPECIFY THAT SEED OF THIS VARIETY BE SO Profection Act! 16 DOES THE APPLICANTIST SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS? 17 YES NO	iow INSTRUCTIONS of Sample mailed to Ireasurer of the United By VARIETY NAM	Plant Valled Sta E ONLY	PHONE (Include area of the protection Office	(See žecti	on 83(a) of the Plant Variety
18 DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? YES #1 "YES," through Plant Variety Protection Act Patent Act Give date						
	19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M YES (II "YES," give names of countries and dates) NO	ARKETED IN THE US	OR OT	HER COUNTRIES?		
	20 The applicants) declare(s) that a viable sample of basic see request in accordance with such regulations as may be applied to undersigned applicants) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitled Applicants) is (are) informed that false representation here SEGNATURE OF APPLICANT (Owner(s))	icable. sexually reprodu I to protection un	ced no der the protec	vel plant variety, and belie provisions of section 42 of the tion and result in penalties.	ve(s) the Plant V	
) _	FORM CSSD-470 15-89) Edition of FORM LS-470, 3-86, is obsodete	Din	try	Soylen Research	4.	14-93

1991

EXHIBIT A

Origin and Breeding History of A3510

Pedigree:	84P323-29/X3213 84P323-29 = XX3830/X3685, X3830 = Williams/V68-920, V68-920 = York/Dare, X3213 = Q7212-0136R/A3127, Q7212-0136R = Williams/Mack
1984/85	Cross made in winter nursery at Isabela, Puerto Rico.
1985 to 1987	Advanced population from F_1 to F_4 via modified single seed descent at Isabela, Puerto Rico.
1987	Grew bulk population at Oxford, Indiana and selected and threshed individual ${\rm F}_{\rm 5}$ plants.
1988	Grew $F_{5:6}$ progeny rows at Oxford, Indiana. Progeny row BP85192 B88-09817 was selected and harvested in bulk. The seeds were checked and verified for uniform seed coat luster and hilum color.
	BP85192 B88-09817 was determined to be a stable and unique line in September 1987.
1989	BP85192 B88-09817 was entered in yield test 9HP319 as entry 23 which was grown at Oxford, Indiana and Stonington, Illinois. It produced uniform stands and was selected for its high yield and excellent standability.
1990	BP85192 B88-09817 was entered in yield test 0S351-27 as entry 27 which was grown at eight locations in Illinois, Indiana, and Ohio. Individual plants were harvested from the bulk and threshed. The line was named XI3510.

XI3510 was entered in yield test 1CV350 as entry 6 which was grown at 15 locations in six states. Progeny rows grown at Oxford, Indiana from plants harvested in 1990. Uniform pure rows were harvested and bulked.

1991/92 Bulk of pure rows increased in winter nursery at Isabela, Puerto Rico.

1992 XI3510 was designated XP3510 and grown in yield tests 2CV350 (entry 5) and 2HV301 (entry 23) which were grown at 23 locations in 8 states.

Seed from the winter nursery increase was planted at Stonington, Illinois for increase.

XP3510 was nominated for release and full production and designated A3510.

Yield trials in 1989 to 1992 and seed production in 1992 indicate that A3510 is uniform and stable. As with other soybean varieties, variants can occur for almost any character during the course of repeated sexual production.

EXHIBIT B

Novelty Statement Concerning A3510 Soybean

To our knowledge the soybean varieties that most closely resemble A3510 are A3322, A3733, and A3935.

1.	Flower Color:	A3510	Purple
		A3322	White
		A3733	Purple
•		A3935	Purple
2.	Pubescence Color:	A3510	Tawny
	$(x,y) = (x,y) \cdot (x,y) = (x,y) \cdot (x,y$	A3322	Tawny
		A3733	Tawny
		A3935	Tawny
3.	Pod Wall Color:	A3510	Tan
		A3322	Tan
	•	A3733	Tan
		A3935	Brown
4.	Hilum Color:	A3510	Black
		A3322	Black
	A Commence of the Commence of	A3733	Black
		A3935	Black

5. Reaction to races of Phytophthora megasperma f. sp. glycinea:

					[Race			···								
	1	3	4	5_	7	- 8	9	13	16	17	21	25					
A3510	R	R	s	S	R	R	R	R	s	R	R	s					
A3322	R	R	S	S	R	R	Ř	R	Š	R	R	Š					
A3733	S	S	S	S	S	S	S	S	Š	S	S	Š					
A3935	S	S	S	S	S	S	S	S	S	S	S	S					

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

301027	TA TOTY CITIE THAN E.	<u> </u>
NAME OF APPLICANT(S)	TEMPORARY DESIGNA	ATION VARIETY NAME
ASGROW SEED COMPANY	XP3510	A3510
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	e)	FOR OFFICIAL USE ONLY
9638-190-23	•	PVPO NUMBER
Gull Road, Building 190		9300210
Kalamazoo, MI 49001.		
Choose the appropriate response which characterizes the var	icty in the features des	cribed below. When the number of significant digits
in your answer is fewer than the number of boxes provided, Starred characters * are considered fundamental to an adequ	piace a zero in the lifs	took when number is y or less (e.g., $[0]$ y).
when information is available.	iate soybean variety de	scription. Other characters should be described
A SPEN BULANCE.		
1. SEED SHAPE:	\mathbf{v}	
$\lfloor 2 \rfloor$ $\lfloor 1 \rfloor$ $\lfloor u \rfloor$		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	l l 2 = Spherical Fit	attened IL/W ratio > 1.2; L/T ratio = < 1.2}
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		ittened (L/T ratio > 1.2; T/W > 1.2)
A APPROPRIATE COLOR DE LA COLO		
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 :	Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
t = bull transport results		
1 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: [Mature Seed]		
4. SEED SIZE: (Mature Seed)		
1 Ja Grams per 100 seeds		•
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Impe	rfect Black B = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	•	
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		£
2 High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP18) 2 = Type B (SP1b)		
9. HYPOCOTYL COLOR:	······································	
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	1 bronze band below coty	ledons ('Woodworth'; 'Tracy')
4 - Dark Purple extending to unifoliate leaves ('Hodgson';	Coker Hampton 266A')	i ·
10. LEAFLET SHAPE:		
1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Speci	· · · · · · · · · · · · · · · · · · ·
السلها		

Page 2 of 4

-1	1. LEAFL	ET SIZE:
	2	1 = Small ('Amsoy 71'; 'A5312')
	12. LEAF C	COLOR:
	2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')
_		
	2	I = White 2 = Purple 3 = White with purple throat
4	I4. POD CO	DLOR:
	1	1 ≈ Tan 2 ≈ Brown 3 ≈ Black
k -	IS, PLANT	PUBESCENCE COLOR:
	2	1 ~ Gray 2 = Brown (Tawny)
-	16. PLANT	TYPES:
	2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')
_	17. PLANT	HABIT:
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
ķ	IB. MATUR	RITY GROUP:
	06	1 = 000
k -	19. DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)
		ERIAL DISEASES:
7	k [n]	
	. 🗀	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)
7	*	Bacterial Blight (Pseudomonas glycinea)
7	t 0	Wildlire (Pseudomonas tabaci)
	FUNGA	AL DISEASES:
7	k 0	Brown Spot (Septoria glycines)
		Frogeye Leaf Spot (Cercospora sojina)
. 7	* 0	Hace 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify)
		Terget Spot (Corynespora cassiicola)
		Downy Mildew (Peronospora trifoliorum var. manshurica)
		Powdery Mildew (Microsphaera diffusa)
7	k [0]	Brown Stem Rot (Cephalosporium gregatum)
	0	Stem Canker (Diaporthe phaseolorum var. caulivora)

19. DISEASE REACTION	DN: {Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)			
•	SES: (Continued)				
★ n Pod and St	em Blight (Diaporthe phaseolorum var; sojae)				
0 Purple See	d Stain (Cercospora kikuchii)				
0 Rhizocton	a Root Rot (Rhizoctonia solani)				
Phytophth	ora Rot (Phytophthora megasperma var. sojae)		0		
★ 2 Race 1	2 Race 2 2 Race 3 1	Race 4 1 Race	Race 6 2 Race 7		
2 Place 8	2 Hace 9 0 Other (Specify)		Trace /		
VIRAL DISEASE	S:				
O Bud Blight	(Tobacco Ringspot Virus)				
O Yellow Mo	saic (Bean Yellow Mosaic Virus)				
★ 0 Cowpea Mo	osaic (Cowpea Chlorotic Virus)				
0 Pod Mottle	(Bean Pod Mottle Virus)				
★ 0 Seed Mottle	e (Soybean Mosalc Virus)				
NEMATODE DIS	EASES:				
Soybean Cy	rst Nematode (Heterodera glycines)				
★ 0 Race t	0 Race 2 0 Race 3 0	Race 4 0 Other	(Specify)		
0 Lance Nem	atode (Hoplolaimus Colombus)				
* 0 Southern R	oot Knot Nematode (Meloidogyne incognita)				
→ 0 Northern R	oot Knot Nematode <i>(Meloidogyne Hapla)</i>				
O Peanut Roo	t Knot Nematode (Meloidogyne arenaria)				
0 Reniform N	ematode (Rotylenchulus reniformis)				
OTHER DI	SEASE NOT ON FORM (Specify):				
	PARALLER				
		otible; 2 = Resistant)			
[
حب			-		
i i	•	esistant)			
i i i					
. [
		T SUBMITTED.			
		CHARACTER	NAME OF VARIETY		
		Seed Coat Luster	A3322		
Leaf Color					
Leaf Size			A3322		
NEMATODE DISEASES: Soybean Cyst Nematode (Heiterodere glycines) A					

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFL	ET SIZE	SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% 011	SEEDS	POD
Submitted A3510	132	1,7	88			42.6	20.0	14.5	2.6
Name of Similar Variety A3322	130	1.6	84			43.1	19.1	15.4	2.6

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Asgrow Seed Company PVP Application A3510 Soybean March 1993

EXHIBIT D

Additional Description of the Variety

A3510 is a mid maturity group III soybean cultivar that matures 2.2 days later than A3322 and possesses the Rps1c gene for resistance to races 1 to 3, 7 to 11, 13, 17, and 21 of Phytophthora root rot and excellent tolerance to other races of this disease. A3510 is adapted to central Ohio, central Indiana, central Illinois, southern Iowa, northern Missouri, southeastern Nebraska, and northeastern Kansas. A3510 is characterized by excellent standability, indeterminate plant type, high peroxidase activity, ovate leaves, purple flowers, tawny pubescence, black hila, tan pod walls, and dull seed coat luster.

8

Asgrow Seed Company PVP Application A3510 Soybean March 1993

EXHIBIT E

Statement of Basis of Applicant Ownership

A3510 was originated and developed by Dr. E. H. Paschal II, Asgrow plant breeder. By agreement between Asgrow Seed Company, all rights to any invention, discovery or development made by employees are assigned to the company. No rights of such invention, discovery or development are retained by the employee.